

IX Bibliography

- Abdelghani, A.E. (1993): "Food and feeding habits of Nile tilapia from the Nile River at Cairo, Egypt." 447-454 in: Fish Farming Technology, Reinertsen, Dahle, Jørgensen & Tvinnerelm (eds.). Balkema, Rotterdam
- Agbayani, R.F., Baliao, D.D., Franco, N.M., Ticar, R.B. & Guanzon, N.G. (1989): "An economic analysis of the modular pond system of milkfish production in the Philippines." Aquaculture 83: 249-259
- Aguilar N.O., Siopongco J.D.C. & Pitargue F.C.Jr. (1990): "Species composition and seasonal variation in frequency, density, biomass and rate of production of some aquatic macrophytes at the southern portion of Laguna de Bay." U.P. Los Baños J. 1(1): 85-96
- Almazan, G. (1970): "Food habits of milkfish *Chanos chanos* (Forsskal) in freshwater fishponds." M.Sc. Thesis, University of the Philippines at Diliman, Quezon City, Manila, Philippines, 23 pp.
- Aquino, L.V. & Nielsen, B.H. (1983): "Primary production and growth rate of *Tilapia nilotica* in cages in Sampaloc Lake." pp. 455-463 in: L. Fishelson & Z. Yaron (eds.) "The First International Symposium on Tilapia in Aquaculture." Tel Aviv University, Israel, 624 pp.
- Bagarinao T. (1994): "Systematics, distribution genetics and life history of milkfish, *Chanos chanos*." Environ. Biol. Fish 39: 28-41
- Bagarinao, T. & Thayaparan, K. (1986): "The length-weight relationship, food habits and condition factor of wild juvenile milkfish in Sri Lanka." Aquaculture 55:241-246
- Bagenal, T.B. & Tesch, F.W. (1978): "Age and growth." In: Bagenal, T. (ed.): "Methods for the assessment of fish production in fresh waters (3. ed.)." Blackwell Scientific Publications, Oxford, 365 pp.
- Bajkov, A.D. (1935): "How to estimate the daily food consumption of fish under natural conditions." Trans. Am. Fish. Soc., 65: 288-289
- Basiao, Z. & San Antonio, A. (1986): "Growth and Survival of Nile Tilapia Fingerlings in Net Cages without Supplemental Feed in Laguna Lake, Philippines." In: J.L. Maclean, L. B. Dizon & L. V. Hosillos. (eds.) First Asian Fisheries Forum. Asian Fisheries Society, Manila, Philippines; pp. 533-538.

- Beveridge, M.C.M. (1984): "Cage and pen fish farming. Carrying capacity models and environmental impact." FAO Fisheries Department Technical Paper 255, 131 pp.
- Beveridge, M.C.M., Briggs, M.R.P., Mowat, A., Northcott, M.E. & Ross, L.G. (1988): "The function of microbranchiospines in tilapias." pp. 311-317 in: R.S.V. Pullin, T. Bhukaswan, K. Tonguthai & J. McLean (eds.) "The Second International Symposium on Tilapia in Aquaculture." ICLARM Conference Proceedings 15, Department of Fisheries, Bangkok, Thailand & International Centre for Living Aquatic Resource Management, Manila, Philippines, 623 pp.
- Beveridge, M.C.M., Begum, M., Frerichs, G.N. & Millar, S. (1989): "The ingestion of bacteria in suspension by the tilapia *Oreochromis niloticus*." Aquaculture; vol. 81, pp. 373-378
- Bishai, H.M. (1965): "Resistance of *Tilapia nilotica* (L.) to high temperature." Hydrobiologia 25: 473-488
- Borlongan I.G. (1990): "Studies on the digestive lipases of milkfish, *Chanos chanos*." Aquaculture 89: 315-325
- Bowen, S.H. (1982): "Feeding, digestion and growth - qualitative considerations." pp. 141-156 in: R.S.V. Pullin & R.H. Lowe-McConnell (eds.) "The Biology and Culture of Tilapia." ICLARM, Manila, Philippines, 434 pp.
- Bowen, S.H. (1987): "Composition and nutritional value of detritus." pp. 192-216 in: "Detritus and microbial ecology in aquaculture" D.W.J. Moriarty & R.S.V. Pullin, eds., ICLARM Conference Proceedings, ICLARM, Manila, 420 pp.
- Bowen S.H., Lutz E.V. & Ahlgren, M.O. (1995): "Dietary protein and energy as determinants of food quality: trophic strategies compared." Ecology 76(3): 899-907
- Brett J.R. (1979): "Environmental factors and growth." pp. 599-677 in: Hoar W.S., Randal D.J. & Brett J.R. (Eds.) "Fish Physiology VIII: Bioenergetics and Growth." Academic Press, New York
- Brodeur, R.D. & Pearcy, W.G. (1987): "Diel feeding chronology, gastric evacuation and estimated daily ration of juvenile coho salmon, *Oncorhynchus kisutch* (Walbaum), in the coastal marine environment." J. Fish Biol. 31: 465-477
- Brown, M.E. (1946): "The growth of brown trout (*Salmo trutta* Linn.) II. The growth of two-year old brown trout at a constant temperature of 11.5°C." J. Exp. Biol. 22: 130-144

- Caulton, M.S. (1982): "Feeding, metabolism and growth of tilapias - some quantitative considerations." pp. 157-180 in: R.S.V. Pullin & R.H. Lowe-McConnell (eds.) "The Biology and Culture of Tilapia." ICLARM, Manila, Philippines, 434 pp.
- Centeno, J.D., Santiago, A.E. & Santos-Borja, A.C. (1987): "The carrying capacity for aquaculture of the Laguna de Bay in the Philippines." North American Lake Management Society Symposium, Orlando, Florida, USA
- Chacko, P.I. (1945): "On the food and alimentary canal of the milkfish, *Chanos chanos* (Forsk.)" Curr. Sci. 14: 242-243
- Chandy, M. (1956): "On the oesophagus of milkfish *Chanos chanos* (Forsk.)" J. Zool. Soc. India. 8 (1): 79-84
- Chandy, M. & George, M.G. (1960): "Further studies on the alimentary tract of the milkfish *Chanos chanos* in relation to its food and feeding habits." Proc. Nat. Inst. Sci. India. 26 (B): 127-134
- Chapman, G. & Fernando, C.H. (1994): "The diets and related aspects of feeding of Nile tilapia (*Oreochromis niloticus* L) and common carp (*Cyprinus carpio* L) in lowland rice fields in Northeast Thailand." Aquaculture 123 (3-4): 281-307
- Chiu, Y.N., Macahilig, M.P. & Sastrillo, M.A. (1986): "Preliminary studies of factors affecting the feeding rhythm of milkfish (*Chanos chanos* Forskal)." pp. 547-550 in: J.L. Maclean, L.B. Dizon, & L.V. Hosillos (eds.) "The First Asian Fisheries Forum" Asian Fisheries Society, Manila, Philippines, 727 pp.
- Chiu, Y.N., Sumagaysay, N.S. & Sastrillo, M.A.S. (1987): "Effect of feeding frequency and feeding rate on the growth and feed efficiency of milkfish, *Chanos chanos* Forsskal, juveniles." Asian Fish. Sci. 1: 27-31
- Coloso, R.M., Benitez, L.V. & Tiro, L.B. (1988): "The effect of dietary protein-energy levels on growth and metabolism of milkfish (*Chanos chanos* Forsskal)." Comp. Biochem. Physiol. 89A (1): 11-17
- Cruz, P.S. (1997): "Aquaculture feeds and fertilizer resource atlas of the Philippines." FAO Fisheries Technical Paper No. 366, Food and Agriculture Organization, Rome, 259 pp.
- Cuvin-Aralar, M.L.A. (1990): "Mercury levels in the sediment, water and selected finfishes of Laguna Lake, The Philippines." Aquaculture 84: 277-288

- Cuvin-Aralar, M.L.A., Fastner, J., Focken, U., Becker, K. & Aralar, E.V. (2002): "Microcystins in natural blooms and laboratory cultured *Microcystis aeruginosa* from Laguna de Bay, Philippines." Syst. Appl. Microbiol. 25 (2): 179-182
- Dabrowski, K., Muray, T. & Becker, K. (1986): Physiological and nutritional aspects of intensive feeding of carp. In: Aquaculture of cyprinids, pp. 55-70. R. Billard & J. Marcel (eds.) Institut National de Recherche Agronomique, Paris
- Davies, J. (1988): "Management of Laguna de Bay, Philippines." Naga, The ICLARM Quarterly 11: 10-11
- Delmendo, M.N. (1974): "Fish farming in pens: A new fishery business in Laguna de Bay." LLDA Technical paper No. 2, Laguna Lake Development Authority, Metro Manila, Philippines
- Delmendo, M.N. (1987): "Milkfish culture in pens: An assessment of its contribution to overall fishery production in Laguna de Bay." ASEAN/UNPD/FAO Regional Small Scale Coastal Fisheries Development Project, Manila, Philippines
- Delmendo, M.N. & Bustrillo, R. (1968): "Studies on the fish population of Laguna de Bay." Indo-Pacific Fishery Council 68
- Delos Reyes, M.R. (1993): "Fishpen culture and its impact on the ecosystem of Laguna de Bay, Philippines." pp. 74-84 in: V. Christensen & D. Pauly (eds.) "Trophic Models of Aquatic Ecosystems" ICLARM, Philippines & DANIDA, Denmark, 390 pp.
- Delos Reyes, M.R. & Martens, R. (1994): "Geoecology of Laguna de Bay, Philippines. I. Techno-commercial impact on the trophic level structure of the Laguna de Bay aquatic ecosystem 1968-1980." Ecol. Modell., 75/76: 497-509
- Dempster, P.W., Beveridge, M.C.M. & Baird, D.J. (1993): "Herbivory in the tilapia *Oreochromis niloticus*: A comparison of feeding rates on phytoplankton and periphyton." J. Fish Biol., 43: 385-392
- Dempster, P., Baird, D.J. & Beveridge, M.C.M. (1995): "Can fish survive by filter-feeding on microparticles? Energy balance in tilapia grazing on algal suspensions." J. Fish Biol., 47: 7-17
- Drenner, R.W., Mummert, J.R., de Noyelles, F. & Kettle, D. (1984a): "Selective Particle Ingestion by a Filter-feeding Fish and its Impact on Phytoplankton Community Structure." Limnol. Oceanogr., vol. 29 (5), pp. 941-948

- Drenner, R.W., Taylor, S.B., Lazzaro, X. & Kettle, D. (1984b): "Particle grazing and plankton community impact of an omnivorous cichlid." *Trans. Am. Fish. Soc.*, 113: 397-402
- Drenner, R.W., Hambright, D., Vinyard, G.L., Gophen, M. & Pollinger, U. (1987): "Experimental study of size-selective phytoplankton grazing by a filter-feeding cichlid and the cichlid's effect on plankton community structure." *Limnol. Oceanogr.*, 32 (5): 1138-1144
- Edwards, P., Pacharaprakiti, C. & Yomjinda, M. (1994): "An assessment of the role of buffalo manure for pond culture of tilapia. I. On-station experiment." *Aquaculture* 126: 83-95
- Edwards, P., Kaewpaitoon, K., Little, D.C. & Siripandh, N. (1994): "An assessment of the role of buffalo manure for pond culture of tilapia. II. Field trial." *Aquaculture* 126: 97-106
- Eggers, D.M. (1977): "Factors in interpreting data obtained by diel sampling of fish stomachs." *J. Fish. Res. Board Can.*, 34: 290-294
- Eggers, D.M. (1979): "Comments on some recent methods for estimating food consumption by fish." *J. Fish. Res. Board Can.* 36: 1018-1020
- El Sayed, A.F.M. (1990): "Long-term evaluation of cotton seed meal as a protein source for Nile tilapia, *Oreochromis niloticus* (Linn.)." *Aquaculture* 84: 315-320
- Elliott, J.M. & Persson, L. (1978): "The estimation of daily rates of food consumption for fish." *J. Anim. Ecol.*, 47: 977-991
- Fänge, R. & Grove, D.J. (1979): "Digestion." 161-260 in: *Fish Physiology* Vol. 7, W.S. Hoar, D.J. Randall & J.R. Brett (eds.). Academic Press, New York
- Ferraris, R.P., Tan, J.D. & de la Cruz, M.C. (1987): "Development of the digestive tract of milkfish, *Chanos chanos* (Forsskål): Histology and histochemistry." *Aquaculture* 61: 241-257
- Focken, U. & Becker, K. (1993): "Body composition of carp." pp 269-288 in: Braunbeck, T., Hanke, W. & Segner, H. (eds.): "Fish: Ecotoxicology and ecophysiology." VCH Verlagsgesellschaft.
- Francisco, F.R. (1993): "A lake basin approach to water quality management: The Laguna de Bay experience." pp. 85-99 in: Sly P.G. (Ed.) "Laguna Lake Basin (Philippines): Problems and Opportunities." Environment and Resource Management Project, Philippines, 338 pp.

- Fulton, T.W. (1911): "The sovereignty of the sea." London: Edinburgh
- Gamito, S. (1998): "Growth models and their use in ecological modelling: an application to fish populations." *Ecol. Modell.* 113: 83-94
- Getachew, T. (1987): "A study on an herbivorous fish, *Oreochromis niloticus* L., diet and its quality in two Ethiopian Rift Valley lakes, Awasa and Zwai." *J. Fish Biol.* 30: 439-449
- Getachew T. (1989): "Stomach pH, feeding rhythm and ingestion rate in *Oreochromis niloticus* L. (Pisces, Cichlidae) in Lake Awasa Ethiopia." *Hydrobiologia* 174(1): 43-48
- Getachew, T. & Fernando, C.H. (1989): "The food habits of an herbivorous fish (*Oreochromis niloticus* Linn.) in Lake Awasa, Ethiopia." *Hydrobiologia* 174: 195-200
- Getachew, T. (1993): "The composition and nutritional status of the diet of *Oreochromis niloticus* in Lake Chamo, Ethiopia." *J. Fish Biol.*, 4: 865-874
- Golterman, H.L., Clymo, R.S. & Ohnstad, M.A.M. (eds.) (1978): "Methods for physical and chemical analysis of fresh waters." IBP Handbook No. 8 (2. edition), Blackwell Scientific Publications, Oxford, 214 pp.
- Gompertz, B. (1825): "On the nature of the function expressive of the law of human mortality, and on a new mode of determining the value of life contingencies." *Trans. R. Soc. Lond.* 115: 515-585
- Gruner, H.-E. (1993): "Stamm Arthropoda." pp. 11-63 in: H.-E. Gruner, M. Moritz, & W. Dunger (eds.) "Lehrbuch der speziellen Zoologie (begründet von A. Kaestner). Band 1: Wirbellose Tiere. 4. Teil: Arthropoda (ohne Insecta). (4. Ausgabe, 1993)" Gustav Fischer Verlag, Jena, 1279 pp.
- Guerrero, R.D., Sevilleja, R.C. & Tolentino, A.M. (1987): "Studies on the cage culture of the Nile tilapia in Aya Reservoir, and Laguna de Bay, Philippines." *Arch. Hydrobiol. Beih. Ergebn. Limnol.* 28: 255-258
- Hanley, F. (1991): "Effects of feeding supplementary diets containing varying levels of lipid on growth, food conversion and body composition of Nile tilapia, *Oreochromis niloticus* (L)." *Aquaculture* 93: 323-334
- Harbott, B.J., 1975. Preliminary observations on the feeding of *Tilapia nilotica* L. in Lake Rudolf. *African J. Trop. Hydrobiol. Fish.*, 4: 27-37

- Hartwich, G. (1984): "Stamm Nemathelminthes." pp. 463-542 in: G. Hartwich, F. Kilian, K. Odening & B. Werner (eds.) "Lehrbuch der speziellen Zoologie (begründet von A. Kaestner). Band 1: Wirbellose Tiere. 2. Teil: Cnidaria, Ctenophora, Mesozoa, Platyhelminthes, Nemertini, Entoprocta, Nemathelminthes, Priapulida. (4. Ausgabe, 1984)" Gustav Fischer Verlag, Jena, 621 pp.
- Hickley, P. & Bailey, R.G. (1987): "Food and feeding relationships of fish in the Sudd Swamps (River Nile, southern Sudan)." J. Fish Biol. 30: 147-159
- Hopkins, A. (1966): "The pattern of gastric emptying: a new view of old results." J. Physiol., 182: 144-149
- Iwata, K., Chen, S. & Liu, X. (1989): "Estimation of several parameters in relation to the nitrogen balance of silver and bighead carp." pp. 63-80 in: T. Miura (ed.) "East Lake: A phytoplanktivorous fishes dominated lake ecosystem." Ohtsu Hydrobiological Station, Kyoto University, Japan
- Iwata, K., Chen, S., Liu, X. & Miura, T. (1990): "Estimation of ingestion rates of silver and bighead carp using nitrogen balance method." Jpn. J. Limnol. 51(2): 89-99
- Jarre-Teichmann, A. Palomares, M.L., Soriano, M.L., Sambilay Jr., V.C. & Pauly, D. (1991): "Some new analytical and comparative methods for estimating the food consumption of fish." ICES mar. Sci. Symp., 193: 99-108
- Jarre-Teichmann, A., Palomares, M.L., Gayanilo Jr., F.C., Soriano, M.L. & Pauly, D. (1992): "A user's manual for MAXIMS (Version 1.0): A computer program for estimating food consumption of fishes from diel stomach contents data and population parameters." ICLARM Software 4, ICLARM, Manila, Philippines, 27 pp.
- Jobling, M. (1994): "Fish bioenergetics." Fish & Fisheries Series 13, Chapman & Hall, London, 309 pp.
- Jones, R.E., Petrell, R.J. & Pauly, D. (1999): "Using modified length-weight relationships to assess the condition of fish." Aquacult. Eng. 20: 261-276
- Juario, J.V. & Storch, V. (1984): "Biological evaluation of phytoplankton (*Chlorella* sp., *Tetraselmis* sp. and *Isochrysis galbana*) as food for milkfish (*Chanos chanos*) fry." Aquaculture 40: 193-198
- Kühlmann, K.-J. (1998): "The contribution of natural food and supplemental feed to the dry matter intake, growth and energy utilisation of semi-intensively cultured milkfish, *Chanos chanos* (Forsskål, 1775) during the wet and dry season in the Philippines."

- Dissertation, University of Hohenheim, Stuttgart, Germany. Shaker Verlag, Aachen, Germany, 219 pp.
- Kumagai, S. & Bagarinao, T.U. (1981): "Studies on the habitat and food of juvenile milkfish in the wild." *Fish. Res. J. Philipp.*, vol. 1 (1), pp. 44-51
- Lane, E.D., Kingsley, M.C.S. & Thornton, D.E., 1979. Daily feeding and food conversion efficiency of the diamond turbot: an analysis based on field data. *Trans. Am. Fish. Soc.*, 108: 530-535
- Larson, E.T. & Shanks, A.L. (1996): "Consumption of marine snow by two species of juvenile mullet and its contribution to their growth." *Mar. Ecol. Prog. Ser.*; vol. 130, pp. 19-28
- Lin, S.Y. (1969): "The feeding habits of silver carp, bighead and mud carp." Chinese-American Joint Commission on Rural Reconstruction, Fish. Ser. No. 8: 49-66
- LLDA (1978): "Comprehensive Water Quality Management Program Laguna de Bay. Final Report, Vol. 8. Fisheries of Laguna de Bay." Laguna Lake Development Authority, Metro Manila
- Macdonald, J.S. & Waiwood, K.G. (1987): "Feeding chronology and daily ration calculations for winter flounder (*Pseudopleuronectes americanus*), American plaice (*Hippoglossoides platessoides*) and ocean pout (*Macrozoarces americanus*) in Passamaquoddy Bay, New Brunswick." *Can. J. Zool.* 65: 499-503
- Mazzola, A., Lopiano, L., La Rosa, T. & Sara, G. (1999): "Diel feeding habits of juveniles of *Mullus surmuletus* (Linneo, 1758) in the lagoon of the Stagnone di Marsala (Western Sicily, Italy)." *J. Appl. Ichthyol.* 15: 143-148
- McDonald, M.E. (1985a): "Growth of a grazing phytoplanktivorous fish and growth enhancement of the grazed algae." *Oecologia* 67: 132-136
- McDonald, M.E. (1985b): "Carbon budgets for a phytoplanktivorous fish fed three different unialgal populations." *Oecologia* 66: 246-249
- Mergardt, N. & Temming, A. (1997): "Diel pattern of food intake in whiting (*Merlangius merlangus*) investigated from the weight of partly digested food particles in the stomach and laboratory determined particle decay functions." *ICES J. mar. Sci.*, 54: 226-242
- Micha, J.C., Antoine, T., Wery, D. & van Hove, C. (1988): "Growth, ingestion capacity, comparative appetency and biochemical composition of *Oreochromis niloticus* and *Tilapia rendalli* fed with *Azolla*." pp. 347-355 in: R.S.V. Pullin, T. Bhukaswan, K.

- Tonguthai & J.L. Maclean (eds.) "The Second International Symposium on Tilapia in Aquaculture." Department of Fisheries, Bangkok, Thailand & International Centre for Living Aquatic Resource Management, Manila, Philippines, 623 pp.
- Moriarty, D. W. J. (1973): "The physiology of digestion of blue-green algae in the cichlid fish *Tilapia nilotica*." J. Zool. Lond.; vol. 171, pp. 25-39
- Moriarty, C.M. & Moriarty, D.J.W. (1973): "Quantitative estimation of the daily ingestion of phytoplankton by *Tilapia nilotica* and *Haplochromis nigripinnis* in Lake George, Uganda." J. Zool. Lond., 171: 15-23
- Mundahl N.D. & Wissing, T.E. (1987): "Nutritional importance of detritivory in the growth and condition of gizzard shad in an Ohio reservoir." Env. Biol. Fish. 20(2): 129-142
- Ng, W.K. & Wee, K.L. (1989): "The nutritive value of cassava leaf meal in pelleted feed for Nile tilapia." Aquaculture 83: 45-58
- Nielsen, B.H. (1983): "A scientific basis for the conflict between traditional fishing methods and fish pen and cage technology." in: Terminal Report submitted to SEAFDEC AQD, Activities 1979-1983 SEAFDEC, Tigbauan, Iloilo, Philippines
- Northcott, M.E. & Beveridge, M.C.M. (1988): "The development and structure of pharyngeal apparatus associated with filter feeding in tilapias (*Oreochromis niloticus*)." J. Zool. Lond.; vol. 215, pp. 133-149
- NSO (1995): "1995 Census of Population Report No. 1." National Statistics Office, Philippines
- Olson, R.J. & Mullen, A.J. (1986): "Recent developments for making gastric evacuation and daily ration determinations." Env. Biol. Fish., 1-3: 183-191
- Omoriege, E. & Ogbemudia, F.I. (1993): "Effect of substituting fishmeal with palm kernel meal on growth and food utilization of the Nile tilapia, *Oreochromis niloticus*." Isr. J. Aquacult. 45 (3): 113-119
- Palomares, M.L.D. & Pauly, D. (1996): "Models for estimating the food consumption of tilapias." pp. 211-222 in: R.S.V. Pullin, J. Lazard & M. Legendre (eds.) "The Third International Symposium on Tilapia in Aquaculture." ICLARM Conference Proceedings 41, ICLARM, Manila, Philippines, 575 pp.
- Pancho J.V. (1972): "Aquatic angiosperms of Laguna de Bay, Luzon." Philipp. J. Biol. 1: 94-120
- Pennington, M., 1985. Estimating the average food consumption by fish in the field from stomach contents data. Dana, 5: 81-86

- Persson, L. (1982): "Rate of food evacuation in Roach (*Rutilus rutilus*) in relation to temperature, and the application of evacuation rate estimates for studies on the rate of food consumption." *Freshwater Biol.*, 12 (3): 203-210
- Persson, L. (1983): "Food consumption and the significance of detritus and algae to intraspecific competition in roach *Rutilus rutilus* in a shallow eutrophic lake." *Oikos*.; vol. 41, pp. 118-125
- Philippart, J.C. & Ruwet, J.-C. (1982): "Ecology and distribution of tilapias." pp. 15-59 in: R.S.V. Pullin & R.H. Lowe-McConnell (eds.) "The Biology and Culture of Tilapias" ICLARM, Manila, Philippines
- Pinnegar, J.K. (2000): "Planktivorous fishes: links between the mediterranean littoral and pelagic." Ph.D. Thesis, University of Newcastle upon Tyne, UK, 213 pp.
- Poernomo, A. (1976): "Notes on the Food and Feeding Habits of Milkfish (*Chanos chanos*) from the Sea." pp. 162-166 in: Proceedings of the International Milkfish Workshop Conference, 19.-22. May 1976, Tigbauan, Iloilo, Philippines
- Pomeroy, L.R. (1980): "Detritus and its role as a food source." pp. 84-102 in: R.S.K. Barnes & K.H. Mann (eds.): "Fundamentals of Aquatic Ecosystems." Blackwell Scientific Publications, Oxford
- Prescott, G.W. (1969): "The algae: A review." Thomas Nelson & Sons, London, 436 pp.
- Pullin, R.S.V. (1996): "World tilapia culture and its future prospects." pp. 1-16 in: R.S.V. Pullin, J. Lazard & M. Legendre (eds.) "The Third International Symposium on Tilapia in Aquaculture." ICLARM Conference Proceedings 41, ICLARM, Manila, Philippines, 575 pp.
- Rasch, D. (1976): "Einführung in die mathematische Statistik. I Wahrscheinlichkeitsrechnung und Grundlagen der mathematischen Statistik." VEB Verlag der Wissenschaften, Berlin
- Richter, H. & Focken, U. (1998): "MAXIMS, a computer model for estimating daily ration in fish: A test of its stability in the face of artificially induced variability." Poster presented at the 5. Asian Fisheries Forum, 10.-14. November 1998, Chiang Mai, Thailand (Book of Abstracts)
- Richter, H., Focken, U. & Becker, K. (1999): "A review of the fish feeding model MAXIMS." *Ecol. Modell.*, 120: 47-63

- Richter, H., Lückstädt, C., Focken, U. & Becker, K. (2000): "An improved procedure to assess fish condition on the basis of length-weight relationships." Arch. Fish. Mar. Res. 48 (2): 255-264
- Ricker, W.E. (1975): "Computation and interpretation of the biological statistics of fish populations." Bull. Fish. Res. Bd. Can. 191: 1-382
- Ricker, W.E. (1979): "Growth rates and models." pp. 677-743 in: W.S. Hoar, D.J. Randall & J.R. Brett (eds.) "Fish Physiology. VIII Bioenergetics and Growth." Academic Press, New York
- Sainsbury, K. (1986): "Estimation of food consumption from field observations of fish feeding cycles." J. Fish Biol., 29: 23-36
- Sanderson, S.L., Stebar, M.C., Ackermann, K.L., Jones, S.H., Batjakas, I.E. & Kaufman, L. (1996): "Mucus entrapment of particles by a suspension-feeding tilapia (Pisces: Cichlidae)." J. Exp. Biol. 199: 1743-1756
- Santiago, A.E. (1988): "Limnological notes on the finfish production problems of Laguna de Bay." Nat. Appl. Sci. Bull. 40(2): 119-121
- Santiago, A.E. (1991): "Turbidity and seawater intrusion in Laguna de Bay." Env. Monit. Assess. 16: 85-95
- Santiago, C.B., Pantastico, J.B., Baldia, S.F. & Reyes, O.S. (1989): "Milkfish (*Chanos chanos*) fingerling production in freshwater ponds with the use of natural and artificial feeds." Aquaculture 77: 307-318
- Santos-Borja, A.C. (1993): "Water Quality Management of Laguna de Bay." pp. 143-167 in: Sly P.G. (Ed.) "Laguna Lake Basin (Philippines): Problems and Opportunities." Environment and Resource Management Project, Philippines, 338 pp.
- Schröder, K. (1997): "Laboratory investigations on the energy metabolism of milkfish (*Chanos chanos* Forsskål) under simulated environmental conditions." Dissertation, University of Hohenheim, Stuttgart, Germany. Shaker Verlag, Aachen, Germany, 147 pp.
- Schuster, W. (1960): "Synopsis of biological data on milkfish *Chanos chanos* Forskal, 1775." FAO Fisheries Synopsis No. 4.
- Schwoerbel, J. (1980): "Methoden der Hydrobiologie, Süßwasserbiologie." Fischer Verlag, Stuttgart, 368 pp.
- SEAFDEC (1996): "Scientific Progress Report for 1995." In: Focken U. (Ed.) "Laguna de Bay, Philippines: An ecosystem approach for sustainable management. Scientific

- Progress Report to the European Union for the period January 1st - December 31st 1995." Hohenheim University, Stuttgart, Germany, 96 pp.
- SEAFDEC (1997): "Scientific Progress Report for 1996." In: Focken U. (Ed.) "Laguna de Bay, Philippines: An ecosystem approach for sustainable management. Scientific Progress Report to the European Union for the period January 1st - December 31st 1996." Hohenheim University, Stuttgart, Germany, 153 pp.
- SEAFDEC (1998): "Scientific Progress Report for 1997." In: Focken U. (Ed.) "Laguna de Bay, Philippines: An ecosystem approach for sustainable management. Scientific Progress Report to the European Union for the period January 1st - December 31st 1997." Hohenheim University, Stuttgart, Germany, 118 pp.
- Shiau, S.Y., Pan, B.S., Chen, S., Yu, H.L. & Lin, S.L. (1988): "Successful use of soybean meal with a methionine supplement to replace fish meal in diets fed to milkfish *Chanos chanos* Forsskal." J. World Aquac. Soc. 19 (1): 14-19
- Siddiqui, A.Q., Howlader, M.S. & Adam, A.A. (1988): "Effects of dietary protein levels on growth, feed conversion and protein utilization in fry and young Nile tilapia, *Oreochromis niloticus*." Aquaculture 70: 63-73
- Siriwardena, P.P.S.G.N. (1986): "Milkfish pen culture in Sri Lankan lagoons." pp. 88-92 in: J.L. Maclean, L.B. Dizon, & L.V. Hosillos (eds.) "The First Asian Fisheries Forum" Asian Fisheries Society, Manila, Philippines, 727 pp.
- Sly P.G. (1993): "Major environmental problems in Laguna Lake, Philippines: A summary and synthesis." pp. 304-330 in: Sly P.G. (Ed.) "Laguna Lake Basin (Philippines): Problems and Opportunities." Environment and Resource Management Project, Philippines
- SOGREAH (1974): "Laguna de Bay water resources development study (Final report) Vol. 2 Annex 1-B." SOGREAH (France, BCEOM France), Agrar & Hydrotechnik GmbH (Germany) & DCCD Engineering Corp (Philippines)
- Sokal, R.R. & Rohlf, F.J. (1995): "Biometry (3. ed.)." W.H. Freeman & Co., New York. 887 pp.
- Streble, H. & Krauter, D. (1988): "Das Leben im Wassertropfen." Franckh-Kosmos Verlag, Stuttgart, 8. Edition, 399 pp.
- Sumagaysay, N.S. (1991): "Utilization of feed and rice straw compost for milkfish, *Chanos chanos*, production in brackishwater ponds." J. Appl. Ichthyol. 7 (4): 230-237

- Sumagaysay, N.S. (1993): "Growth, daily ration and gastric evacuation rates of milkfish (*Chanos chanos*) fed supplemental diet and natural food." J. Appl. Ichthyol. 9(2): 65-73
- Sumagaysay, N.S. (1994): "Growth and food consumption of milkfish (*Chanos chanos*) during dry and wet seasons." Intern. J. Trop. Agric. 12(1): 1-11
- Sumagaysay, N.S. & Chiu-Chern, Y.N. (1991): "Effects of fiber in supplemental feeds on milkfish (*Chanos chanos* Forsskal) production in brackishwater ponds." Asian Fish. Sci. 4: 189-199
- Sumagaysay, N.S., Chiu-Chern, Y.N., Estilo, V.J. & Sastrillo, M.A.S. (1990): "Increasing milkfish (*Chanos chanos*) yields in brackishwater ponds through increased stocking rates and supplementary feeding." Asian Fish. Sci. 3 (2): 251-256
- Sumagaysay, N.S., Marquez, F.E. & Chiu-Chern, Y.N. (1991): "Evaluation of different supplemental feeds for milkfish (*Chanos chanos*) reared in brackishwater ponds." Aquaculture 93: 177-189
- Tabthipwon, P., Orachunwong, C, Kugler, J. & Moreau, J. (1988): "Influence of *Chlorella vulgaris* and *Microcystis aeruginosa* mixed with commercial carp pellets on growth of Nile tilapia (*Oreochromis niloticus*)." pp. 387-392 in: R.S.V. Pullin, T. Bhukaswan, K. Tonguthai & J.L. Maclean (eds.) "The Second International Symposium on Tilapia in Aquaculture." ICLARM Conference Proceedings 15, Department of Fisheries, Bangkok, Thailand & International Centre for Living Aquatic Resource Management, Manila, Philippines, 623 pp.
- Takamura, N., Iwata, K., Fang, G.-S., Zhu, X.-B. & Shi, Z.-F. (1994): "Feeding habits of mixed cyprinid species in a chinese integrated fish culture pond: Change in planktivorous density induces feeding changes in planktivorous carps." Jpn. J. Limnol. 55(2): 131-141
- Temming, A. & Andersen, N.G. (1994): "Modelling gastric evacuation without meal size as a variable. A model applicable for the estimation of daily ration of cod (*Gadus morhua* L.) in the field." ICES J. mar. Sci. 51: 429-438
- Tengjaroenkul, B., Smith, B J., Caceci, T. & Smith, S.A. (1999): "Distribution of intestinal enzyme activities along the intestinal tract of cultured Nile tilapia, *Oreochromis niloticus* L." Aquaculture 182: 317-327
- Toguyeni, A., Fauconneau, B., Boujard, T., Fostier, A., Kuhn, E.R., Mol, K.A. & Baroiller, J.-F. (1997): "Feeding behaviour and food utilization in tilapia, *Oreochromis*

- niloticus*: Effects of sex ratio and relationships with the endocrine status." *Physiol. Behav.*, 62 (2): 273-279
- Trewavas, E. (1983): "A review of the Tilapiine fishes of the genera *Sarotherodon*, *Oreochromis* and *Danakila*." *Bulletin British Museum (Natural History)*.
- Trino, A.T. & Fortes, R.D. (1989): "Food preference of wild milkfish juveniles in connection with habitat and food availability." *J. Aqua. Trop.* 4: 1-7
- University of Hamburg (1998): "Scientific Progress Report for 1997." In: Focken U. (Ed.) "Laguna de Bay, Philippines: An ecosystem approach for sustainable management. Scientific Progress Report to the European Union for the period January 1st - December 31st 1997." Hohenheim University, Stuttgart, Germany, 118 pp.
- Vallejo, A.N.jr. (1985): "Fishes of Laguna de Bay (Philippines)." *Nat. Appl. Sci. Bull.* 37(4): 285-346
- van den Hoek, C., Mann, D.G. & Jahns, H.M. (1995): "Algae: An introduction to phycology." Cambridge University Press, Cambridge, 623 pp.
- Vicencio, Z.T. (1964): "Studies on the Algal Food Habits of Milkfish, *Chanos chanos* (Forsk.)" M.Sc. Thesis, University of the Philippines at Diliman, Quezon City, Manila, Philippines
- Weatherley, A.H. (1959): "Some features of the biology of the tench *Tinca tinca* (Linnaeus) in Tasmania." *J. Anim. Ecol.* 28: 73-87
- Weatherley, A.H. & Gill, H.S. (1987): "The biology of fish growth." Academic Press, New York, 443 pp.
- Wee, K.L. & Shu, S.W. (1989): "The nutritive value of boiled full-fat soybean in pelleted feed for Nile tilapia." *Aquaculture* 81: 303-314
- Wee, K.L. & Tuan, N.A. (1988): "Effects of dietary protein level on growth and reproduction in Nile tilapia (*Oreochromis niloticus*)." pp. 401-410 in: R.S.V. Pullin, T. Bhukaswan, K. Tonguthai & J. McLean (eds.) "The Second International Symposium on Tilapia in Aquaculture." ICLARM Conference Proceedings 15, Department of Fisheries, Bangkok, Thailand & International Centre for Living Aquatic Resource Management, Manila, Philippines, 623 pp.
- Wee, K.L. & Wang, S.-S. (1987): "Nutritive value of *Leucaena* leaf meal in pelleted feed for Nile tilapia." *Aquaculture* 62: 97-108
- Wetzel, R.G. (2001): "Limnology: Lake and river ecosystems (3. edition)." Academic Press, New York, 1006 pp.

- Winberg, G.C. (1956): "Rate of metabolism and food requirements of fishes." Nauch. Tr. Beloruss. Gosud. Univ. imeni Lenina, Minsk, Beloruss. Translation Series, J. Fish. Res. Board Can., Nr. 194 (1960).
- Worobec, M.N. (1984): "Field estimates of the daily ration of winter flounder, *Pseudopleuronectes americanus* (Walbaum), in a southern New England salt pond." J. Exp. Mar. Biol. Ecol. 77: 183-196
- Xie, P. (1999): "Gut content of silver carp, *Hypophthalmichthys molitrix*, and the disruption of a centric diatom, *Cyclotella*, on passage through the esophagus and intestine." Aquaculture 180: 295-305
- Xie, P. (2001): "Gut content of bighead carp (*Aristichthys nobilis*) and the processing and digestion of algal cells in the alimentary canal." Aquaculture 195: 149-161
- Xie, S., Cui, Y., Yang, Y. & Liu, J. (1998): "Effects of protein level in supplemental diets on the growth of cage-cultured tilapia in the East Lake, P.R. China." Asian Fish. Sci. 10: 233-240
- Yossa, M.I. & Araujo-Lima, C.A.R.M. (1998): "Detritivory in two Amazonian fish species." J. Fish Biol. 52: 1141-1153