

14. Literaturverzeichnis

- Adam-Schumm, K., 2004. Bodenatmung im regionalen Zusammenhang am Beispiel des Westallgäuer Hügellands. Dissertation. Universität Hohenheim. Kandeler, E., Kuzyakov, Y., Stahr, K., Streck, T. (Hrsg.) *Hohenheimer Bodenkundliche Hefte* (71), Stuttgart. p. 109.
- Aeschbach-Hertig, W., 2002. Klimaarchiv im Grundwasser. *Physik in unserer Zeit*, (33): 160-166.
- Aeschbach-Hertig, W., Peeters, F., Beyerle, U., Kipfer, R., 2000. Palaeotemperature reconstruction from noble gases in ground water taking into account equilibration with entrapped air. *Nature*, 405: 1040-1044.
- AG Boden, 2005. *Bodenkundliche Kartieranleitung*. 5. verbesserte und erweiterte Auflage. Bundesanstalt für Geowissenschaften und Rohstoffe und Niedersächsisches Landesamt für Bodenforschung (Hrsg.), Hannover. p 438.
- AG Donaured, 1989. *Bodenkundlicher Abschlussbericht der AG Donaured/UAG 2- Geologie und Bodenkunde*. Gutachten Nr. 1375.01/89-4763. Geologisches Landesamt Ba-Württemberg, Freiburg. Bericht unveröffentlicht.
- Allen, W.C., Hook, P.B., Biederman, J.A., Stein, O.R., 2002. Temperature and Wetland Plant Species Effects on Wastewater Treatment and Root Zone Oxidation. *Journal of Environmental Quality*, 31: 1010-1016.
- Allinger, P., Locher, A., 1991. Nutzungsgeschichte und aktuelle Probleme der Landnutzung im Donaured. In: VDLUFA (Hrsg.) *Landwirtschaft und Grundwasserschutz im Donaured* (103). pp. 20-26.
- Aravena, R., Wasenaar, L.I., 1993. Dissolve organic carbon and methane in a regional confined aquifer, southern Ontario, Canada: Carbon isotope evidence for associated subsurface sources. *Applied Geochemistry*, 1993: 483-493.
- Augustin, J., 2001. Emission, Aufnahme und Klimarelevanz von Spurengasen. In: Succow M, Joosten, H. (Hrsg) *Landschaftsökologische Moorkunde*. Schweizerbart'sche Verlagsbuchhandlung, Stuttgart.
- Avery, G.B.Jr., Shannon, R.D., White, J.R., Martens, C.S., Alperin, M.J., 2002. Controls on methane production in a tidal freshwater estuary and a peatland: methane production via acetate fermentation and CO₂ reduction. *Biogeochemistry*, 62: 19-37.
- Balakrishna, K., Probst, J.L., 2005. Organic carbon transport and C/N ratio variations in a large tropical river: Godavari as a case study, India. *Biogeochemistry*, 73: 457-473.
- Banks, M.K., Clennan, C., Dodds, W., Rice, C., 1999. Variation in microbial activity duet to fluctuations in soil water content at the water table interface. *Journal of Environmental Science and Health Part A - Toxic/Hazardous Substances & Environmental Engineering*, 34 (3): 179-505.
- Beese, F.O., Fraedrich, K., Klemmer, P., Kokott, J., Kruse-Graumann, L., Neumann, C., Renn, O., Schellnhuber, H.-J., Schulze, E.-D., Tilzer, M., Velsinger, P., Zimmermann, H., 1998. *Die Anrechnung biologischer Quellen und Senken im Kyoto-Protokoll: Fortschritt oder Rückschritt für den globalen Umweltschutz?* Bremerhaven, Wissenschaftlicher Beirat der Bundesregierung Globale Umweltveränderungen. Bericht.
- Behrendt, A., Mundel, G., Hölzel, D., 1994. Kohlenstoff- und Stickstoffumsatz in Niedermoorböden und ihre Ermittlung über Lysimeterversuche. *Zeitschrift für Kulturtechnik und Landentwicklung*, 35: 200-208.
- Bergman, L., Kanqvist, M., Nilsson, M., 2000. Seasonal variation in rates of methane production from peat of various bontanical origins: effects of temperature and substrate quality. *FEMS. Microbioligy of Ecology*, 33: 181-189.
- Billet, M.F., Hope, D., Deacon, C., Storeton-West, R., Hargreaves, K.J., Flechard, C., Fowler, D., 2004. Linking land-atmosphere-stream carbon fluxes in a lowland peatland system. *Global Biogeochemical Cycles*, 18: GB1024.
- Blankenburg, J., Hennings, H.H., Schmidt, W., 2001. Bodenphysikalische Eigenschaften und Wiedervernässung. In: Kratz, R., Pfadenhauer, J. (Hrsg.) *Ökosystemmanagement für Niedermoore*, Ulmer Verlag, Stuttgart.
- Blodau, C., Basiliko, N., Moore, T., 2004. Carbon turnover in peatland mesocosms exposed to different water table levels. *Biogeochemistry* 67: 331-351.

- Bossio, D.A., Fleck, J.A., Scow, K.M., Fujii, R., 2006. Alteration of soil microbial communities and water quality in restored wetlands. *Soil Biology & Biochemistry*, 38: 1223-1233.
- Brake, M., Höper, H., Joergensen, R.G., 1999. Land use-induced changes in activity and biomass of microorganisms in raised bog peats at different depth. *Soil Biology and Biochemistry*, 31: 1489-1497.
- Bridgham, S.D., Richardson, C.J., 1992. Mechanisms controlling soil respiration (CO₂ and CH₄) in southern peatlands. *Soil Biology and Biochemistry*, 24(11): 1089-1099.
- Brooks, Jr. G.A., Shannon, R.D., White, J.R., Martens, C.S., A
Iperin M.J., 2002. Controls on methane production in a tidal freshwater estuary and a peatland: methane production via acetate fermentation and CO₂ reduction. *Biogeochemistry*, 62: 19-37.
- Brown A., Mathur S.P., and Kushner J., 1989. An ombrotrophic bog as a methane reservoir. *Global Biogeochemical Cycles*, 3(3): 205-213.
- Bundesgesetzblatt, 2004. *Gesetz zur Umsetzung der Richtlinie 2003/87/EG über ein System für den Handel mit Treibhausgasemissionszertifikaten in der Gemeinschaft*. Teil I Nr. 35. www.bundesgesetzblatt.de
- Bunsen, R., 1855. *The Annals of Chemistry and practical Pharmacy*, 93: 1-50.
- Busch, J., 2006. Oxygen concentration dynamics in the root zone of a *Carex acutiformis*-stand during summer and wintertime. Beitrag. 11. Jahrestagung des Arbeitskreises "Experimentelle Ökologie" der GfÖ. Reisenburg.
- Butler, J., 1991. *Carbon dioxide equilibria and their applications*. Lewis Publisher INC. Michigan. pp . 248
- Byrne, K.A., Chojnicki, B., Christensen, T.R., Drösler, M., Freibauer, A., Friborg, T., Frolking, S., Lindroth, A., Mailhammer, J., Malmer, N., Selin, P., Turunen, J., Valentini, R., Zetterberg, L., 2004. EU Peatlands: Current Carbon Stocks and Trace Gas Fluxes. Christensen, R. T., Friborg, T. (Hrsg.) *Carboeurope-GHG*. Viterbo, Italy, University of Tuscia. Bericht.
- Cammann, K., 1973. *Das Arbeiten mit ionenselektiven Elektroden*. Springer Verlag, Berlin-Heidelberg.
- Carroll, J.J., Slupsky, J.D., Mather, A.E., 1991. The Solubility of Carbon Dioxide in Water at Low Pressure. *Journal of Physical and Chemical Reference Data*, 20 (6): 1201-1209.
- Champ.D.L., Gulens,J., and Jackson,R.E., 1979. Oxidation-reduction sequences in groundwater flow systems. *Canadian Journal of Earth Science*, 16: 12-23.
- Chanton,J.P. and Whiting,G.J., 1995. Trace gas exchange in fresh water and costal marine environment: ebullition and transport by plants. In: Matson, P.A., Harriss, R.C., (Hrsg.), *Biogenic trace gases: measuring emissions from soil and water*. Blackwell Science, Oxford, pp. 98-125.
- Chasar, L.S., Chanton, J.P., Glaser, P.H., Siegel, D.I., 2000a. Methane concentrations and stable Isotope Distribution as Evidence of Rhizospheric Processes: Comparison of a Fen and Bog in the Glacial Lake Agassiz Peatland Complex. *Annals of Botany*, 86: 655-663.
- Chasar, L.S., Chanton, J.P., Glaser, P.H., Siegel, D.I., Rivers, J.S., 2000b. Radiocarbon and stable carbon isotopic evidence for transport and transformation of dissolved organic carbon, dissolved inorganic carbon, and CH₄ in a northern Minnesota peatland. *Global Biogeochemical Cycles*, 14 (4): 1095-1108.
- Chin. Y.-P., Aiken, G., Loughlin, E.O., 1994. Molecular weight, polydispersity, and spectroscopic properties of aquatic humic substances. *Environmental Science and Technology*, 28: 1853-1858.
- Chow, A.T., Guo, F., Gao, S., Breuer, R., Dahlgren, R.A., 2005. Filter pore size selection for characterizing dissolved organic carbon and trihalomethane precursors from soils. *Water Research*, 39: 1255-1264.
- Chow, A.T., Tanji, K.K., Gao, S., Dahlgren, R.A., 2006. Temperature, water content and wet-dry cycle effects on DOC production and carbon mineralization in agricultural peat soils. *Soil Biology & Biochemistry*, 38: 477-488.
- Clever, H.L., Young, C.L., 1986. *IUPAC - Solubility Data Series*. Methane. Vol. 27/28. Pergamon, Oxford.
- Clymo, R.S., 1992. Models of peat growth. *Suo*, 43: 127-136.

- Conrad, R., 1996. Soil Microorganisms as Controllers of Atmospheric Trace Gases (H_2 , CO , CH_4 , OCS , N_2O , and NO). *Microbiological Reviews*, 609-640.
- Crovetto, R., 1991. Evaluation of Solubility Data of the System CO_2 - H_2O from 273 K to the Critical Point of Water. *Journal of Physical and Chemical Reference Data*, 20 (3): 575-589.
- Davidson, E.A., Belk, E., Boone, R.D., 1998. Soil water content and temperature as independent or confounded factors controlling soil respiration in a temperate mixed hardwood forest. *Global Change Biology*, 4 (2): 217-227.
- Davidson, E.A., Firestone, M.K., 1988. Measurement of nitrous oxide dissolved in soil solution. *Soil Science Society of American Journal*, 52: 1201-1203.
- Dawson, J.J.C., Billet, M.F., Hope, D., Palmer, S.M., Deacon, C.M., 2004. Sources and sinks of aquatic carbon in a peatland stream continuum. *Biogeochemistry*, 70: 71-92.
- Dawson, J.J.C., Billet, M.F., Neal, C., Hill, S., 2002. A comparison of particulate, dissolved and gaseous carbon in two contrasting upland streams in the UK. *Journal of Hydrology*, 257: 226-246.
- DBG, 1998. AK für Bodensystematik der DBG. Systematik der Böden und der bodenbildende Substrate Deutschlands. *Mitteilungen der Deutschen Bodenkundlichen Gesellschaft*, 86.
- Deines, P., 1980. The terrestrial environment. In: Fritz, P., Fontes, J.C., (Hrsg.), *Handbook of Environmental Isotope Geochemistry*. Elsevier, Amsterdam, pp. 75-140.
- Del Grosso, S.J., Parton, W.J., Mosier, A.R., Ojima, D.S., Potter, C.S., Borken, W., Brumme, R., Butterbach-Bahl, K., Crill, P.M., Dobbie, K., Smith, K.A., 2000. General CH_4 oxidation model and comparison of CH_4 oxidation in natural and managed systems. *Global Biogeochemical Cycles*, 14(4): 999-1019.
- Dieterich, R., 1842. Verbesserung der Riedböden. *Torf. Donaubote*, 47: 185-186.
- Ding, W., Cai, Z., Tsuruta, H., Li, X., 2003. Key factors affecting spatial variation of methane emissions from freshwater marshes. *Chemosphere*, 51: 167-173.
- Ding, W., Zucong, C., Tsuruta H., 2005. Factors affecting seasonal variation of methane concentration in water in a freshwater marsh vegetated with *Carex lasiocarpa*. *Biology and Fertility of Soils*, 41: 1-8.
- Dobler, D., Klepser, H.-H., Petermann, R., 1977. Das Naturschutzgebiet Langenauer Ried. *Naturschutz und Landschaftspflege in Baden-Württemberg*. [46], 189-240. Karlsruhe. Bericht.
- Dong, Y., Scharffe, D., Lobert, J.M., Crutzen, P.J., Sanhueza, E., 1998. Fluxes of CO_2 , CH_4 , and N_2O from a temperate forest soil: the effect of leaves and humus layers. *Tellus*, 50B: 243-252.
- Drewitt, G.B., Black, T.A., Jassal, R.S., 2005. Using measurements of soil CO_2 efflux and concentrations to infer the depth distribution of CO_2 production in a forest soil. *Canadian Journal of Soil Science*, 85(2): 213-221.
- Drösler, M., 2005. *Trace gas exchange and climatic relevance of bog ecosystems, Southern Germany*. Dissertation. TU-München, Freising-Weihenstephan. Universitätsbibliothek TU München, mediaTUM_disshab_000000000002483. p. 179.
- Drösler, M., Bergmann, L., Freibauer, A., Jungkunst, H., Schultz, R., Höll, B.S., 2006. Long-term effect of fen restoration on the C-Balance and GWP-Balance. Beitrag. 5th *European Conference on Ecological Restoration*. Greifswald, Germany.
- Eberling, B., Jakobsen, B.H., Berg, P., Sondergaard, J., Sigsgaard, C., 2004. Influence of Vegetation, Temperature, and water content on soil carbon distribution and mineralization in four high arctic soils. *Arctic, Antarctic, and Alpine Research*, 36(4): 528-539.
- Eggelsmann, R., 1976. Peat Consumption under Influence of Climate, Soil Conditions and Utilization. *Proc. 5th Internat. Peat Congress*, Vol. I: 233-247, Poznan/Poland.
- Eglseer, C., 2001. *Vegetationsuntersuchung im Leipheimer Moos*. Unveröffentlichter Bericht.
- Elder, J.F., Rybicki, N.B., Carter, V., Weintraub, V., 2000. Sources and yields of dissolved carbon in northern Wisconsin stream catchments with differing amounts of Peatland. *Wetlands*, 20: 113-125.
- Etioppe, G., 1994. Subsoil CO_2 and CH_4 and their advective transfer from faulted grassland to the atmosphere. *Journal of Geophysical Researches*, 104: 16889-16894.
- FAO-WRB, 1998. ISSS-ISRIC-FAO, World Reference Base for Soil Resources, FAO. *World Soil Resources Report*, 84. Rom.

- Ferry, J.P., 1993. *Methanogenesis: ecology, physiology, biochemistry and genetics*. Chapman and Hall, New-York.
- Fiedler, S., 2004. Redox processes in soils and their pedogenetic and ecological impact. Habilitationsschrift. Kandeler, E., Kuzyakov, Y., Stahr, K., Streck, T. (Hrsg.) *Hohenheimer Bodenkundliche Hefte*, Stuttgart. p. 298.
- Fiedler, S., Höll, B.S., Jungkunst, H.F., 2006. Discovering the importance of lateral CO₂ transport from a temperate spruce forest. *Science of the total environment*, 368: 909-915.
- Fiedler, S., Höll, B.S., Jungkunst, H.F., 2005. Methane budget of a Black Forest spruce ecosystem considering soil pattern. *Biogeochemistry*, 76: 1-20.
- Fiedler, S., Kalbitz, K., 2003. Concentrations and properties of dissolved organic matter in forest soils as affected by the redox regime. *Soil Science*, 168: 793-801.
- Fiedler, S., Scholich, G., Kleber, M., 2003. Construction and evaluation of redox electrode with summing operational amplifier. *Communications in Soil Science and Plant Analysis*, 34: 481-496.
- Fierer, N., Chadwick, O.A., Trumbore, S.E., 2005. Production of CO₂ in Soil Profiles of a California Annual Grassland. *Ecosystems*, 8(412): 429.
- Finlay, J.C., 2003. Controls of streamwater dissolved inorganic carbon dynamics in a forested watershed. *Biogeochemistry*, 62: 231-252.
- Flessa, H., 2001. Vorlesungsskript O₂-Mangel: Steuergrösse der Stoffdynamik in Böden (Grundlagen der Bodenwissenschaft), Universität Göttingen.
- Flinspach, D., Haakh, F., Locher, A., Mäck, U., Röhrle, B., Scheck, R., Schloz, W., Steiner, H., Weinzierl, W., 1997. *Das württembergische Donauried*. Seine Bedeutung für Wasserversorgung, Landwirtschaft und Naturschutz. Zweckverband Landeswasserversorgung (Hrsg.) Stuttgart. p 178.
- Fogg, P.G.T., Gerrard, W., 1991. *Solubility of Gases in Liquids*. A Critical Evaluation of Gas/Liquid Systems in Theory and Practice. John Wiley & Sons. p 325.
- Fraser, C.J.D., Roulet, N.T., Moore, T.R., 2001. Hydrology and dissolved organic carbon biogeochemistry in an ombotrophic bog. *Hydrological Processes*, 15: 3151-3166.
- Freeman, C., Evans, C.D., Monteith, D.T., Reynolds, B., Fenner, N., 2001. Export of organic carbon from peat soils. *Nature*, 412 (6849): 785.
- Freeman, C., Fenner, M., Ostle, M.J., Kang, H., Dowrick, D.J., Reynolds, B., Lock, M.A., Sleep, D., Hughes, S., Hudson, J., 2004. Export of dissolved organic carbon from peatlands under elevated carbon dioxide levels. *Nature*, 430: 195-197.
- Freibauer, A., Jungkunst, H., Drösler, M., Höll, B.S., et al. 2006. Long-term effects of fen restoration on N₂O and CH₄ fluxes. Beitrag. 5th *European Conference on Ecological Restoration*. Greifswald, Germany.
- Freibauer, A., Glatzel, S., Borken, W., Angenendt, E., Badeck, W., Baritz, R., Benndorf, R., Butterbach-Bahl, K., Drösler, M., Flessa, H., Gensior, A., Kuzyakov, Y., Schmidt, T., Wirth, C., (in Vorbereitung). Present greenhouse gas budget and mitigation in the German biosphere.
- Galand, P.E., Fritze, H., Conrad, R., Yrjälä, K., 2005. Pathways for Methanogenesis and diversity of Methanogenic Archaea in Three Boreal Peatland Ecosystems. *Applied and Environmental Microbiology*, 71(4): 2195-2198.
- Gardner, W.D., Richardson, M.J., Carlson, C.A., Hansell, D., Mishonov, A.V., 2003. Determining true particulate organic carbon: bottles, pumps and methodologies. *Deep-Sea Research II*, 50: 655-674.
- Genxing, P.A.N., Shiyi, H.E., Jianhua, C.A.O., Yuxiang, T.A.O., Yuhua, S.U.N., 2002. Variation of δ¹³C in karst soil in Yaji KARst Experiment Site, Guilin. *Chinese Science Bulletin*, 47(6): 500-503.
- Geyer, O.F., Gwinner, M.P., 1986. *Geologie von Baden-Württemberg*. Schweizerbart'sche Verlagsbuchhandlung, Stuttgart.
- Gilbert, B., Frenzel, P., 1995. Methanotrophic bacteria in the rhizosphere of rice microcosms and their effect on porewater methane concentration and methane emission. *Biology and Fertility of Soils*, 20: 93-100.
- Glatzel, S., Basiliako, N., Moore, T., 2004. Carbon dioxide and methane production potentials of peats from natural, harvested and restored sites, Eastern Quebec, Canada. *Wetlands*, 24(2): 261-267.

- Glatzel, S., Kalbitz, K., Dalva, M., Moore, T., 2003. Dissolved organic matter properties and their relationship to carbon dioxide efflux from restored peat bogs. *Geoderma*, 113: 397-411.
- Göttlich, K., 1955. Pollenanalytische Untersuchungen zur Entwicklungs- und Vegetationsgeschichte des Langenauer Donaumooses bei Ulm. *Verein für vaterländische Naturkunde in Württemberg*, 110: 171-198.
- Göttlich, K., 1979. *Moorkarte von Baden-Württemberg*. [Günzburg L7526]. Landesvermessungsamt Baden-Württemberg und Regierungspräsidium Tübingen. Stuttgart.
- Graßl, H., Schubert, R., Kokott, J., Kulesa, M., Luther, J., Nuscheler, F., Sauerborn, R., Schellnhuber, H.-J., Schubert, R., Schulze, E.-D., 2003. *Über Kyoto hinaus denken – Klimaschutzstrategien für das 21. Jahrhundert*. Berlin, Wissenschaftlicher Beirat der Bundesregierung globale Umweltveränderung (WBGU). Bericht.
- Grosse-Braukmann, G., 1997. Moore und Moor-Naturschutzgebiete in Deutschland eine Bestandsaufnahme. *Telma*, 27: 183-215.
- Haakh, F., Mändle, I., 2002. Die Kartierung der Realnutzung als Grundlage für das Flächenmanagement im Wasserschutzgebiet. In: Landeswasserversorgung (Hrsg.) *LW-Schriftenreihe* (21). pp. 34-46.
- Hamada, Y., Tanaka, T., 2001. Dynamics of carbon in soil profiles based on long-term field observation. *Hydrological Processes*, 15: 1829-1845.
- Heaton, T.H.E. and Vogel, J.C., 1981. "Excess air" in groundwater. *Journal of Hydrology*, 50: 201-216.
- Heincke, M., 2001. Effects of Soil Solution on Nitrous Oxide Emissions. Dissertation. Universität Hohenheim. Kandeler, E., Kuzyakov, Y., Stahr, K., Streck, T. (Hrsg.) *Hohenheimer Bodenkundliche Hefte* (59), Stuttgart. p. 109.
- Henry, W., 1803. Experiments on the Quantity of Gases Absorbed by Water, at Different Temperatures, and under Different Pressures. *Philosophical Transactions of the Royal Society of London*, 93: 29-274.
- Hillel, D., 1998. *Environmental Soil Physics*. Academic Press, Californien, USA. p 771.
- Höll, B.S., Jungkunst, H.F., Fiedler, S., 2005. Indirect nitrous oxide emission from a nitrogen saturated spruce forest and general accuracy of the IPCC methodology. *Atmospheric Environment*, 39: 5959-5970.
- Hoffer-French, K.J., Herman, J.S., 1989. Evaluation of Hydrological and Biological Influences on CO₂ Fluxes from a Karst Stream. *Journal of Hydrology*, 108: 189-212.
- Hope, D., Billett, M.F., Cresser, M.S., 1997. Exports of organic carbon in two river systems in NE Scotland. *Journal of Hydrology*, 1993: 61-82.
- Hope, D., Palmer, S.M., Billett, M.F., Dawson, J.J.C., 2004. Variations in dissolved CO₂ and CH₄ in a first-order stream and catchment: an investigation of soil-stream linkages. *Hydrological Processes*, 18: 3255-3275.
- Holden, J., 2005. Peatland hydrology and carbon release: why small-scale process matters. *Philosophical Transactions of the Royal Society A-Mathematical Physical and Engineering Sciences*, 363: 2891-1913.
- Holocher, J., Peeters, F., Aeschbach-Hertig, W., Kinzelbach, W., Kipfer, R., 2003. Kinetic Model of Gas Bubble Dissolution in Groundwater and its Implications for the Dissolved Gas Composition. *Environmental Science and Technology*, 37: 1337-1343.
- Houghton, R.A., 1996. Terrestrial sources and sinks of carbon inferred from terrestrial data. *Tellus*, Series B: Chemical and Physical Meteorology, 48 (4): 420-432.
- Hudgens, D.R., Yavitt, J.B., 1997. Land use effects on soil methane and carbon dioxide fluxes in forests near Ithaca, New York. *Ecoscience*, 4(2): 214-222.
- Huttunen, J.T., Väisänen, T.S., Heikkinen, M., Hellsten, S., Nykänen, H., Neonen, O., Martikainen, P.J., 2002a. Exchange of CO₂, CH₄ and N₂O between the atmosphere and two northern boreal ponds with catchments dominated by peatlands or forests. *Plant and Soil*, 242: 137-146.
- Huttunen, J.T., Väisänen, T.S., Hellsten, S.K., Heikkinen, M., Nykänen, H., Jungner, H., Niskanen, A., Virtanen, M.O., Lindqvist, O.V., Neonen, O.S., Martikainen, P.J., 2002b. Fluxes of CH₄, CO₂ and N₂O in hydroelectric reservoirs Lokka and Porttipahta in the northern boreal zone in Finland. *Global Biogeochemical Cycles*, 16(1): 10.1029/2000GB001316.

- IPCC, 1996. *Guidelines for national Greenhouse Gas Inventories*: Reference Manual. OECD/OECDE, Paris.
- IPCC, 2001. *Climate Change 2001: The Scientific Basis*. Contribution of Working Group I to the Third Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge University Press, Cambridge, U.K.
- Jacinthe, P.-A., Groffman, P.M., 2001. Silicone rubber sampler to measure dissolved gases in saturated soils and waters. *Soil Biology & Biochemistry*, 33: 907-912.
- Jackson, M.B., Armstrong, W., 1999. Formation of aerenchyma and the processes of plant ventilation in relation to soil flooding and submergence. *Plant Biology*, 1 (3): 274-287.
- Janssens, I.A., Freibauer, A., Ciais, P., Smith, P., Nabuurs, G.-J., Folberth, G., Schlamadinger, B., Hutjes, R.W.A., Ceulemans, R., Schulze, E.-D., Valentini, R., Dolman, A.J., 2003. Europe's Terrestrial Biosphere Absorbs 7 to 12% of European Anthropogenic CO₂ Emissions. *Science*, 300 (5625): 1538-1542.
- Jassal, R., Black, A., Novak, M., Morgenstern, K., Nestic, Z., Gaumont-Guay, D., 2005. Relationship between soil CO₂ concentrations and forest-floor CO₂ effluxes. *Agricultural and Forest Meteorology*, 130: 176-192.
- Jones, Jr. J.B., Mulholland, P.J., 1998. Carbon dioxide variation in a Hardwood Forest Stream: An Integrative Measure of Whole Catchment soil respiration. *Ecosystems*, 1: 183-196.
- Juutinen, S., Larmola, T., Remus, R., Mirus, E., Merbach, W., Silvola, J., Augustin J., 2003. The contribution of *Phragmites australis* litter to methane (CH₄) emission in planted and non-planted fen microcosms. *Biology and Fertility of Soils*, 38: 10-14.
- Kalbitz, K., Geyer, W., 2001. Humification indices of water soluble fulvic acids derived from synchronous fluorescence spectra - effects of spectrometer type and concentration. *Journal of Plant Nutrition and Soil Science*, 164: 259-265.
- Kalbitz, K., Geyer, W., Geyer, S., 1999. Spectroscopic properties of dissolved humic substances - a reflection of land use history in a fen area. *Biogeochemistry*, 47: 219-238.
- Kalbitz, K., Schmerwith, J., Schwesig, D., Matzner, E., 2003. Biodegradation of soil-derived dissolved organic matter as related to its properties. *Geoderma*, 113: 273-291.
- Kammann, C., Grünhage, L., Jäger, H.-J., 2001. A new soil air sampling technique to monitor concentrations of CH₄, N₂O and CO₂ at well defined depth in soils with heterogeneous water saturation. *European Journal of Soil Science*, 52: 297-303.
- Kang, H.J., Freeman, C., Ashendon, T.W., 2001. Effects of elevated CO₂ on fen peat biogeochemistry. *Science of the total Environment*, 279 (1-3): 45-50.
- Kasimir Klemmedtsson, A., Klemmedtsson, L., Berglund, K., Martikainen, P., Silvola, J., Oenema, O., 1997. Greenhouse gas emissions from farmed organic soils: a review. *Soil Use Manage*, 13: 1-6.
- Kehlert, K., 2005. *UV-Absorption und spektroskopische Analysen zur Charakterisierung des DOC in einem Niedermoor bei Langenau, Süddeutschland*. Bachelorarbeit. Universität Hohenheim.
- Keine, R.P., 1991. Production and Consumption of methane in aquatic systems. In: Microbial production and consumption of greenhouse gases: methane, nitrogen oxides, and halomethanes. *American Society of Microbiology*, Washington, DC. p. 114-146.
- Kerner, M., Hohenberg, H., Ertl, S., Reckermann, M., Spitz, A., 2003. Self-organization of dissolved organic matter to micelle-like microparticles in river water. *Nature*, 422: 150-153.
- Khandekar, M.L., Murty, T.S., Chittibabu, P., 2005. The Global Warming Debate: A Review of the State of Science. *Pure and Applied Geophysics*, 162: 1557-1586.
- Killops, S.D., Killops, V.J., 1993. *An introduction to organic geochemistry*. Longman Scientific & Technical, Essex, UK.
- Knorr, W., Prentice, I.C., House, J.I., Holland, E.A., 2005. Long-term sensitivity of soil carbon turnover to warming. *Nature*, 433: 298-301.
- Koch, R., 2000. Die neue Interpretation der Massenkalk des Süddeutschen Malm und ihr Einfluß auf die Qualität von Kalksteinen für technische Anwendung. *Archaeopteryx*, 18: 43-65.

- Koch-Rose, M.S., Reddy, K.R., Chanton, J.P., 1994. Factors Controlling Seasonal Nutrient Profiles in a Subtropical Peatland of the Florida Everglades. *Journal of Environmental Quality*, 2: 526-533.
- Koppisch, D., 2001. Prozesse auf Moorstandorten (topische Betrachtung). In: *Landschaftsökologische Moorkunde*. Succow M, Joosten, H. (Hrsg). Schweizerbart'sche Verlagsbuchhandlung, Stuttgart.
- Knowles, R., 1993. Methane: Processes of production and consumption. In: Harper, L.A., Mosier, A.R., Duxbury, J.M. (Hrsg) *Agricultural Ecosystem Effects on Trace Gases and Global Climate Change. ASA Special Publication (55)*. 145-156.
- Kuzyakov, Y., 2006. Sources of CO₂ effluxes from soil and review of partitioning methods. *Soil Biology & Biochemistry*, 38: 425-448.
- Laine, J., Silvola, J., Tolonen, K., Alm, J., Nykanen, H., Vasander, H., Sallantausta, T., Savolainen, I., Sinisalo, J., Martikainen, P.J., 1996. Effect of water-level drawdown on global climatic warming - northern peatlands. *Ambio*, 25: 179-184.
- Lange, E., Jeschke, L., Knapp, H.-D., 1986. Die Landschaftsgeschichte der Insel Rügen seit dem Spätglazial. *Schriften zur Ur- und Frühgeschichte*, 38.
- Lal, R., 2004. Soil carbon sequestration to mitigate climate change. *Geoderma*, 123: 1-22.
- Lampert, W., Sommer, U., 1993. *Limnoökologie*. Thieme Verlag, Stuttgart.
- Laudon, H., Köhler, S., Buffam, I., 2004. Seasonal TOC export from seven boreal catchments in northern Sweden. *Aquatic Sciences*, 66: 223-230.
- Leavitt, S.W., Pendall, E., Paul, E.A., Brooks, T., Kimball, B.A., Pinter, P.J., Johnson, H.B., Matthias, A., Wall, G.W., LaMorte, R.L., 2001. Stable-carbon isotopes and soil organic carbon in wheat under CO₂ enrichment. *New Phytologist*, 150: 305-314.
- LFU, 1999. *Gesamtökologisches Gutachten Donaured*. Bayerisches Landesamt für Umweltschutz (Hrsg.).
- Liikanen, A., Flöjt, L., Martikainen, P., 2002. Gas dynamics in Eutrophic Lake Sediments Affected by Oxygen, Nitrate, and Sulfate. *Journal of Environmental Quality*, 31: 338-349.
- Lloyd, J., Taylor, J.A., 1994. On the temperature dependence of soil respiration. *Functional Ecology*, 8: 315-323.
- Lu, Y., Wassmann, R., Neue, H.U., Huang, C., Bueno, C.S., 2000. Methanogenic response to exogenous substrates in anaerobic rice soils. *Soil Biology & Biochemistry*, 32: 1683-1690.
- Lundegard, H., 1927. Carbon dioxide evolution of soil and crop growth. *Soil Science*, 23: 417-453.
- Macalady, D.L., Ranville, J.F., 1998. The Chemistry and Geochemistry of Natural Organic Matter (NOM). In: Macalady D.L. (Hrsg.) *Perspectives in Environmental Chemistry*. Oxford University Press, New York.
- Magnusson T., 1993. Carbon dioxide and methane formation in forest mineral and peat soils during aerobic and anaerobic incubations. *Soil Biology & Biochemistry*, 25(7): 877-883.
- Magnusson T., 1994. Studies of the soil atmosphere and related physical characteristics in peat forest soils. *Forest Ecology and Management*, 67: 203-224.
- Mainiero, R., Kazda, N., 2004. Effects of *Carex rostrata* on soil oxygen in relation to soil moisture. *Plant and Soil*, 270: 311-320.
- Malmer, N., 1986. Vegetational gradients in relation to environmental conditions in northwestern European mires. *Canadian Journal of Botany*, 64: 375-383.
- Mansfeldt, T., 1994. Schwefeldynamik von Böden des Dithmarscher Speicherkoogs und der Bornhöveder Seenkette in Schleswig-Holstein. Dissertation. *Schriftenreihe / Institut für Pflanzenernährung und Bodenkunde (28)*, Universität Kiel. p. 154.
- Marañón, E., Cermeño P., Pérez, V., 2005. Continuity in the photosynthetic production of dissolved organic carbon from eutrophic to oligotrophic waters. *Marine Ecology Progress Series*, 299: 7-17.
- Marfia, A.M., Krishnamurthy, R.V., Atekwama, E.A., Panton, W.F., 2004. Isotopic and geochemical evolution of ground and surface waters in a karst dominated geological setting: a case study from Belize, Central America. *Applied Geochemistry*, 19: 937-946.
- Marschner, B., Kalbitz, K., 2003. Controls of bioavailability and biodegradability of dissolved organic matter in soils. *Geoderma*, 113: 211-235.

- Meybeck, M., 1993. C, N, P, and S in rivers: from sources to global inputs. In: Wollast, R., Mackenzie, F.T., Chou, L., (Hrsg.) *Interaction of C, N, P, and S, Biogeochemical Cycles and Global Change*. Springer-Verlag, NATO ASI, (14). pp. 163-193.
- Meybeck, M., Helmer, R., 1989: The quality of rivers: from pristine stage to global pollution *Global Planet Change*, 1: 283-309.
- Meyer, K., 1999. Die Flüsse der klimarelevanten Gase CO₂, CH₄ und N₂O eines nordwestdeutschen Niedermoors unter dem Einfluss der Wiedervernässung. Dissertation. *Bodenkundliche Berichte Göttingen*. Meyer B. (Hrsg.), Göttingen.
- Meyer, K., Höper, H., Blankenburg, J., 2001. Spurengashaushalt und Klimabilanz bei Vernässung. In: Kratz, R., Pfadenhauer, J., (Hrsg.), *Ökosystemmanagement für Niedermoore*. Ulmer Verlag, Stuttgart, pp. 104-110.
- Michalzik, B., Stadler, B., 2005. Importance of canopy herbivores to dissolved and particulate organic matter fluxes to the forest floor. *Geoderma*, 127: 227-236.
- Michel, K., Matzner, E., Dignac, M.-F., Kögel-Knabner, I., 2006. Properties of dissolved organic matter related to soil organic matter quality and nitrogen additions in Norway spruce forest floors. *Geoderma*, 130: 250-264.
- Middelburg, J.J., Nieuwenhuize, J., Iversen, N., Høgh, N., De Wilde, H., Helder, W., Seifert, R., Christof, O., 2002. Methane distribution in European tidal estuaries. *Biogeochemistry*, 59: 95-119.
- Mitch, W.J., Gosselink, J.G., 1993. *Wetlands*. 2. Auflage, Van Nostrand R. (Hrsg.), New York. p. 710.
- Mitch, W.J., Wu, X., 1995. Wetlands and Global Change. In: Lal, W., Kimble, J., Levine, E., Sewart, B., (Hrsg.) *Soil management and greenhouse effect*. CRC Press. pp. 205-230.
- Moore T.R., Bubier J.L., Frohling S.E., Lafleur P.M., and Roulet N.R., 2002. Plant biomass and production and CO₂ exchange in an ombrotrophic bog. *Journal of Ecology*, 90: 25-36.
- Moore, T.R., Dalva, M., 1993. The influence of temperature and water table position on carbon dioxide and methane emissions from laboratory columns of peatland soils. *The Journal of Soil Science*, 44 (4): 651-664.
- Moore, T. and Dalva, D., 1997. Methane and carbon dioxide exchange potentials of peat soils in aerobic and anaerobic laboratory incubations. *Soil Biology & Biochemistry*, 29(8): 1157-1164.
- Moore, T.R., Dalva, M., 2001. Some controls on the release of dissolved organic carbon by plant tissues and soils. *Soil Science*, 166: 38-47.
- Moore, T., Turunen, J., 2004. Carbon Accumulation and Storage in Mineral Subsoil beneath Peat. *Soil Science Society of American Journal*, 68: 690-696.
- Mortimer, C.E., 1996. *Chemie*. Georg Thieme Verlag, Stuttgart.
- Morris, D.R., Glaz, B., Daroub, S.H., 2004. Organic soil oxidation potential due to periodic flood and drainage depth under sugarcane. *Soil Science*, 169(8): 600-608.
- Mualem, Y., 1976. A new model for predicting the hydraulic conductivity of unsaturated porous media. *Water Resources Research*, 12(3): 513-522.
- Müller, V., Blaut, M., Gottschalk, G., 1993. Bioenergetics of Methanogenesis. In: Ferry, J.G. (Hrsg.) *Methanogenesis*. Chapman and Hall, pp. 360-406.
- Munch, J.C., Hillebrand, T., Ottow, J.C.G., 1978. Transformation in the Feo/Fed ratio of pedogenetic iron oxides affected by iron-reducing bacteria. *Canadian Journal of Soil Science*, 58: 475-486.
- MUNF, 2002. *Programm zur Wiedervernässung von Niedermooren in Schleswig-Holstein*. Ministerium für Umwelt, Natur und Forsten des Landes Schleswig-Holstein, Kiel.
- Neal, C., 1988. Determination of dissolved CO₂ in upland streamwater. *Journal of Hydrology*, 99: 127-142.
- Neal, C., Hill, S., 1994. Dissolved inorganic and organic carbon in moorland and forest streams: Plynlimon, Mid Wales. *Journal of Hydrology*, 153: 231-243.
- Nordt, L., Wilding, L.C., Hallmark, C.T., Jacobs, J.S., 1996. Stable isotope composition of pedogenic carbonates and their use in studying petrogenesis. In: Boutton, T.W., Yamasaki, S., (Hrsg.) *Mass Spektrometry of Soils*. Marcel Dekker, New York. pp. 133-154
- Norton, S.A., Cosby, B.J., Fernandez, I.J., Kahl, J.S., Church, M.R., 2001. Long-term and seasonal variations in CO₂: linkages to catchment alkalinity generation. *Hydrology and Earth System Sciences*, 5(1): 83-91.

- Oh, N.-H., Kim, H.-S., Richter, D.D.Jr., 2005. What regulates soil CO₂ concentrations? A modeling approach to CO₂ diffusion in deep soil profiles. *Environmental Engineering Science*, 22: 38-45.
- Pan, G., Shiyi, H., Jianhua, C., Yuxiang, T., Yuhua, S., 2002. Variation of $\delta^{13}\text{C}$ in karst soil in Yaji Karst Experiment Site, Guilin. *Chinese Science Bulletin*, 47 (6): 500-503.
- Pastor, J., Solin, J., Bridham, S.D., Updegraff, K., Harth, C., Weishamepel, P., Dewey, B., 2003. Global warming and the export of dissolved organic carbon from boreal peatlands. *Oikos*, 100: 380-386.
- Peters, A., Germer, K., Durner, W., 2005. Sickerwassererfassung - Ein Vergleich von Geräten unterschiedlicher Bauart. 11. *Gumpensteiner Lysimetertagung*, Irdning.
- Petry, C., 2004. Mikrobieller Abbau von partikulärem organischen Material in der tiefen Wassersäule. Dissertation. Leibniz-Institut für Ostseeforschung. *Meereswissenschaftliche Berichte* (61). Warnemünde, p.136.
- Pfadenhauer, J., 1981. Grundlagen, Möglichkeiten und Grenzen der Moorrenaturierung. *Daten und Dokumente zum Umweltschutz*, 31: 75-81.
- Pfadenhauer, J., Heinz, S., 2005. Renaturierung von niedermoortypischen Lebensräumen. *Naturschutz und biologische Vielfalt* (9). Landwirtschaftsverlag, p. 299.
- Pfadenhauer, J., Zeitz, J., 2001. Leitbilder und Ziele für die Renaturierung norddeutscher Niedermoore. In: Kratz R., Pfadenhauer J., (Hrsg.) *Ökosystemmanagement für Niedermoore - Strategien und Verfahren zur Renaturierung*. Eugen Ulmer Verlag, Stuttgart.
- Pfeiffer, E.-M., 1998. Methanfreisetzung aus hydromorphen Böden verschiedener naturnaher und genutzter Feuchtgebiete (Marsch, Moor, Tundra, Reisanbau). Habilitationsschrift. Verein zur Förderung der Bodenkunde in Hamburg (Hrsg.) *Hamburger Bodenkundliche Arbeiten* (37).p. 208.
- Pinney, M.L., Westerhoff, P.K., Baker, L., 2000. Transformations in dissolved organic carbon trough constructed wetlands. *Water Research*, 34(6): 1897-1911.
- Piñol, J., Avila, A., 1992. Streamwater pH, alkalinity pCO₂ and discharge relationships in some forested Mediterranean catchments. *Journal of Hydrology*, 131: 205-225.
- Ponnamperuma, F.N., 1972. The chemistry of submerged soils. *Advances in Agronomy*, 24: 29-96.
- Prösl, K.-H., 1998. *Wiedervernässung Leipheimer und Langenauer Moos*. Unveröffentlichter Bericht.
- Pumpanen, J., Ilvesniemi, H., Hari, P., 2003a. A Process-Based Model for Predicting Soil Carbon Dioxide Efflux and Concentration. *Soil Science Society of American Journal*, 67: 402-413.
- Pumpanen, J., Ilvesniemi, H., Perämäki, M., Hari, P., 2003b. Seasonal patterns of soil CO₂ efflux and soil air CO₂ concentration in a Scots pine forest: comparison of two chamber techniques. *Global Change Biology*, 9: 371-382.
- Raich, J.W., Schlesinger, W.H., 1992. The global carbon dioxide flux in soil respiration and its relationship to vegetation and climate. *Tellus*, 44B: 81-99.
- Ranville, J.F., Schmiermund, R.L., 1998. An Overview of Environmental Colloids. In Macalady D.L. (Hrsg.) *Perspectives in Environmental Chemistry*. Oxford University Press, New York.
- Raymond, P.A., Bauer, J.E., Caraco, N.F., Cole, J.J., Longworth, B., Petch, S.T., 2004. Controls on the variability of organic matter and dissolved inorganic carbon ages in northeast US rivers. *Marine Chemistry*, 92: 353-366.
- Rebsdorf, A., Thyssen, N., Erlandsen, M., 1991. Regional and temporal variation in pH, alkalinity and carbon dioxide in Danish streams, related to soil type and land use. *Freshwater Biology*, 25: 419-435.
- Reddy, K.R., D'Angelo, E.M., Harris, W.G., 2000. Biogeochemistry of wetlands. In: Summer, M.E. (Hrsg.) *Handbook of soil science*. CRC Press. p. G89-G119.
- Reschke, S., 1999. *Biochemie der Schwebstofffracht der Donau und deren Einfluss auf das Sedimentationsgeschehen im nordwestlichen Schwarzen Meer*. Dissertation. Universität Hamburg. p. 109.
- Reynolds, B., Stevens, P.A., Hughes, S., Brittain, S.A., 2004. Comparison of field techniques for sampling soil solution in an upland peatland. *Soil Use and Management*, 20: 454-456.
- Richey, J.W., Victoria, R.L., 1993. C, N, and P Export dynamics in the Amazon River. In: Wollast, R., Mackenzie, F.T., Chou, L., (Hrsg.), *Interaction of C, N, P, and S*,

- Biogeochemical Cycles and Global Change* Springer-Verlag NATO ASI, (14). pp. 163-193.
- Rosenberry, D.O., Glaser, P.H., Siegel, D.I., Weeks, E.P., 2003. Use of hydraulic head to estimate gas content and ebullition flux in northern peatlands. *Water Resources Research*, 39 (3): SBH131-SBH1310.
- Rück, F., 1993. Standortsspezifische Stickstoffmineralisierung, jahreszeitlicher Verlauf des Mineralstickstoffvorrates und der Nitratauswaschung in Böden des Wasserschutzgebietes Donauried. *Hohenheimer Bodenkundliche Hefte* (15). Babel, U.; Fischer, W.-R.; Roth, K.; Stahr, K. (Hrsg.), Stuttgart.
- Scanlon, D. Moore, T., 1999. Carbon dioxide production from peatland soil profiles: the influence of temperature, oxic/anoxic conditions and substrate. *Soil Science*, 165(2): 153-160.
- Schiff, S.L., Aravena, R., Trumbore, S.E., Hinton, M.J., Elgood, R., Dillon, P.J., 1997. Export of DOC from Forested Catchment on the Precambrian Shield of Central Ontario: Clues from $\delta^{13}\text{C}$ and $\delta^{14}\text{C}$. *Biogeochemistry*, 36: 43-65.
- Schindler, U., Thiere, J., Steidl, J., Müller, L., 2003. Entwicklung einer bodenhydrologischen Datenbank auf Basis des Flächentypenkonzepts und Anwendung für die Abflussberechnung in Nordostdeutschen Einzugsgebieten. 10. *Gumpensteiner Lysimetertagung*, BAL, Irdning, Österreich.
- Schjønning, P., Thomsen, I.L., Moldrup, P., Christensen, B.T., 2003. Linking Soil Microbial Activity to Water- and Air-Phase Contents and Diffusivities. *Soil Science Society of American Journal*, 67: 156-165.
- Schlesinger, W.H., 1997. *Biogeochemistry - an analysis of global change*. Academic Press, Orlando.
- Schloz, W., 1979. Geologische Gegebenheiten und Moorbildung. In: Landesvermessungsamt Baden-Württemberg und Regierungspräsidium Tübingen (Hrsg.) *Moorkarte von Baden-Württemberg*. [Günzburg L7526]. Stuttgart. pp. 6-15.
- Schloz, W., 1991. Geologie und Hydrogeologie des Langenauer Donaurieds. In: VDLUFA (Hrsg.) *Landwirtschaft und Grundwasserschutz im Donauried* (103). pp. 7-13.
- Schneck, A., 2002. Wasserwirtschaft, Landwirtschaft und Naturschutz im Einklang - Das Forschungsvorhaben "Optimierung des Gebietswasserhaushalts in Wassergewinnungsgebieten". In: Landeswasserversorgung (Hrsg.) *LW-Schriftenreihe* (21), pp. 22-33.
- Schönwiese, C.-D., Trömel, S., 2005. Langzeitänderungen des Niederschlags in Deutschland. In: Lozán, J.L., Graßl, H., Hupfer, P., Menzel, L., Schönwiese, C.-D. (Hrsg.) *Warnsignal Klima: Genug Wasser für alle?* Wiss. Auswertungen + GEO, Hamburg. pp. 172-177.
- Schultz, R., 2005. *Ecosystem respiration of restored and degraded fen sites in the Donauried, Southern Germany*. Masterarbeit, TU München, Freising-Weihenstephan. p. 64.
- Schulze, E.-D., Freibauer, A., 2005. Carbon unlocked from soils. *Nature*, 437: 205-206.
- Schwärzel, K., 2000. *Dynamik des Wasserhaushaltes in Niedermooren*. Dissertation. Technische Universität Berlin, Berlin.
- Sigfusson, B., Paton, G.I., Gislason, S.R., 2006. The impact of sampling techniques on soil pore water carbon measurements of an Icelandic Histic Andosol. *Science of the Total Environment*, 396: 203-219.
- Skidmore, M., Sharp, M., Tranter, M., 2004. Kinetic isotopic fractionation during carbonate dissolution in laboratory experiments: implication for detection of microbial CO_2 signatures using d^{13}C -DIC. *Geochimica et Cosmochimica Acta*, 68(21): 4309-4317.
- Smiojoki, A., Jaakkola, A., 2000. Effect of nitrogen fertilization, cropping and irrigation on soil air composition and nitrous oxide emission in a loamy clay. *European Journal of Soil Science*, 51:413-424.
- Smith, K.A., Ball, T., Conen, F., Dobbie, K.E., Massheder, J., Rey, A., 2003. Exchange of greenhouse gases between soil and atmosphere: interactions of soil physical factors and biological processes. *European Journal of Soil Science*, 54: 779-791.
- Sorrell, B.K., Downes, M.T., Stanger, C.L., 2002. Methanotrophic bacteria and their activity on submerged aquatic macrophytes. *Aquatic Botany*, 72: 107-119.
- Stasch, D., 1996. Umweltverträglichkeit der Bodennutzung im Langenauer Ried. Dissertation. Universität Hohenheim. Babel, U., Fischer, W.R., Roth, K., Stahr, K., (Hrsg.) *Hohenheimer Bodenkundliche Hefte* (30), Stuttgart. p. 268.

- Stein, O.B., Hook, P.B., 2005. Temperature, plants, and oxygen: How does season affect constructed wetland performance? *Journal of Environmental Science and Health Part A-Toxic/Hazardous substances & environmental Engineering*, 40 (6-7): 1331-1342.
- Stevenson, F.J., 1994. *Humus Chemistry*. John Wiley, New York.
- Strack, M., Waddington, J.M., Tuittila, E.-S., 2004. Effect of water table drawdown on northern peatland methane dynamics. Implications for climate change. *Global Biogeochemical Cycles*, 18. GB4003.
- Stute, M., Forster, M., Frischkorn, H., Serejo, A., Clark, J.F., Schlosser, P., Broecker, W.S., Bonani, G., 1995. Cooling of tropical Brazil (5°C) during the last glacial maximum. *Science*, 269 (5222): 379-383.
- Succow, M., Joosten, H., 2001. *Landschaftsökologische Moorkunde*. Schweizerbart'sche Verlagsbuchhandlung, Stuttgart.
- Swift, R.S., 2001. Sequestration of carbon by soil. *Soil Science*, 166 (11): 858-871.
- Telz, A., 2006. *Partitionierung und Export des gelösten anorganischen Kohlenstoffs aus dem Oberboden eines Buchenwalds im Nationalpark Hainich, Thüringen*. Diplomarbeit. Max-Planck-Institut für Biogeochemie, Jena.
- TGL, 1985. *Aufnahme landwirtschaftlich genutzter Standorte. Moorstandorte*. Leipzig, Verlag für Standardisierung. Bericht.
- Thibodeaux, L.J., Aguilar, L., 2005. Kinetics of peat soil dissolved organic carbon release to surface water. Part 2. A chemodynamic process model. *Chemosphere*, 60: 1190-1196.
- Thomas, K.L., Benstead, J., Davies, K.L., und Lloyd, D., 1996. Role of wetland plants in the diurnal control of CH₄ and CO₂ fluxes in peat. *Soil Biology & Biochemistry*, 28: 17-23.
- Tomassen, H.B.M., Smolders, A.J.P., Lamers, L.P.M., Roelofs, J.G.M., 2004. Development of floating rafts after the rewetting of cut-over bogs: the importance of peat quality. *Biogeochemistry* 71: 69-87.
- Van Genuchten, M.T., 1980. A closed-form equation for predicting the hydraulic conductivity of unsaturated soils. *Soil Science of American Journal*, 44(892): 898.
- Vesterdal, L., Ritter, E., Gundersen, P., 2002. Change in soil organic carbon following afforestation of former arable land. *Forest Ecology and Management*, 169: 137-147.
- Wachinger, G., Fiedler, S., Zepp, K., Gattiner, A., Sommer, M, Roth, K., 2000. Variability of soil methane production on the micro-scale: spatial association with hot spots of organic material and Archaeal populations. *Soil Biology & Biochemistry*, 32: 1121-1130.
- Waddington, J.M., Roulet, N.T., 1997. Groundwater flow and dissolved carbon movement in a boreal peatland. *Journal of Hydrology*, 191: 122-138.
- Watanabe, A. Kimura, M., 1995. Methane production and its fate in paddy fields. VIII Seasonal variations in the amount of methane retained in soil. *Soil Science and Plant Nutrition*, 41: 225-233.
- Watson, A., Stephen, K.D., Nedwell, D.B., Arah, J.R.M., 1997. Oxidation of methane in peat: kinetics of CH₄ and O₂ removal and the role of plant roots. *Soil Biology & Biochemistry*, 29: 1257-1267.
- Weiler, W., 2001. *Die Relevanz von Fettsäuren in der Ernährung von Daphnien*. Dissertation. Humboldt-Universität, Berlin. urn:nbn:de:kobv:11-10017536.
- Weinzierl, W., 1991. Die Böden und Deckschichten des Wasserschutzgebietes Donauried (Schutzzone II). In: VDLUFA (Hrsg.) *Landwirtschaft und Grundwasserschutz im Donauried* (103). pp. 14-16.
- Weinzierl, W., 1997. Niedermoore in Baden-Württemberg - Bilanzierung der CO₂-Emissionen am Beispiel des Donaurieds. *Mitteilungen der Deutschen Bodenkundlichen Gesellschaft*, 85: 1059-1062.
- Weiss, R.F., 1974. Carbon dioxide in water and seawater: The solubility of a non-ideal gas. *Marine Chemistry*, 2: 203-215.
- Welsch, D.L. Hornberger, G.M., 2004. Spatial und temporal simulation of soil CO₂ concentrations in a small forested catchment in Virginia. *Biogeochemistry*, 71: 415-436.
- Weyer, K.U., Hamann, M., Kaiser, H. 2001. GASSYS: A unique in-situ and passive gas sampling system from unsaturated soil and from groundwater. 2001. *International Oil and Gas Conference*. Zadar, Kroatien. Tagungsbeitrag.
- Whiting, G.J., Chanton, J.P., 2001. Greenhouse carbon balance of wetlands: methane emission versus carbon sequestration. *Tellus*, 53B: 521-528.

- Williams, M.D., Oostrom, M., 2000. Oxygenation of anoxic water in a fluctuating water table system: an experimental und numerical study. *Journal of Hydrology*, 230: 70-85
- Yu, K., Faulkner, S.P., Patrick, W.H. Jr., 2006. Redox potential characterization and soil greenhouse gas concentration across a hydrological gradient in a Gulf coast forest. *Chemosphere*, 62: 905-914.
- Zech, W., Guggenberger, G., 1996. Organic matter dynamics in forest soils of temperate and tropical ecosystems. In: Piccolo, A. (Hrsg.) *Humic Substances in Terrestrial Ecosystems*, Elsevier, Amsterdam. pp. 100-170.
- Zeitz, J., Stegmann, H., 2001. Moorbodenhorizonte und -typen. In: Succow M, Joosten, H. (Hrsg) *Landschaftsökologische Moorkunde*. Schweizerbart'sche Verlagsbuchhandlung, Stuttgart. pp. 69-74.
- Zeitz, J., Vely, S., 2002. Soil properties of drained and rewetted fen soil. *Journal of Plant Nutrition and Soil Science*, 165: 618-626.
- Zhang, S., Gan, W.-B., Ittekkot, V., 1992. Organic matter in large turbid rivers: the Huanghe and its estuary. *Marine Chemistry*, 38: 53-68.
- Zsolnay, A., 2003. Dissolved organic matter: artefacts, definitions, and functions. *Geoderma*, 113: 187-209.
- Zoltai, S.C., Martikainen, P.J., 1996. Estimated Extent of forest Peatlands and their role in the Global Carbon Cycle. In: Apps, M.J., Price, D.T. (Hrsg.) *Forest Ecosystems, Forest Management and the Global Carbon Cycle* (40). Springer Verlag, pp. 47-58.